

**Dunedoo Water Supply - Microbiological Test Results
(from the NSW Drinking Water Database)**

Sample Collection Date	Tested Parameter	Units	Test Result	ADWG Guideline Values Health	ADWG Guideline Values Aesthetic	Laboratory Comments
14/10/2024	pH		8.0400		6.5 - 8.5	,Field result entered as provided
14/10/2024	Free Chlorine	mg/L	1.3800	0.2 - 5		,Field result entered as provided
14/10/2024	E. coli	mpn/100 mL	< 1	0		,Field result entered as provided
14/10/2024	Temperature	C	24.1000		30	,Field result entered as provided
14/10/2024	Turbidity	NTU	0.0000		5	,Field result entered as provided
14/10/2024	Total Coliforms	mpn/100 mL	< 1	0		,Field result entered as provided
14/10/2024	Total Chlorine	mg/L	1.3600	5		,Field result entered as provided
8/10/2024	pH		8.1200		6.5 - 8.5	,Field result entered as provided
8/10/2024	Free Chlorine	mg/L	1.2500	0.2 - 5		,Field result entered as provided
8/10/2024	E. coli	mpn/100 mL	< 1	0		,Field result entered as provided
8/10/2024	Temperature	C	22.9000		30	,Field result entered as provided
8/10/2024	Turbidity	NTU	0.0700		5	,Field result entered as provided
8/10/2024	Total Coliforms	mpn/100 mL	< 1	0		,Field result entered as provided
8/10/2024	Total Chlorine	mg/L	1.2300	5		,Field result entered as provided
30/09/2024	pH		8.0900		6.5 - 8.5	
30/09/2024	Free Chlorine	mg/L	1.5500	0.2 - 5		
30/09/2024	E. coli	mpn/100 mL	< 1	0		
30/09/2024	Temperature	C	23.0000		30	
30/09/2024	Turbidity	NTU	0.0700		5	
30/09/2024	Total Coliforms	mpn/100 mL	< 1	0		
30/09/2024	Total Chlorine	mg/L	1.6300	5		
23/09/2024	pH		8.1300		6.5 - 8.5	
23/09/2024	Free Chlorine	mg/L	1.5100	0.2 - 5		
23/09/2024	E. coli	mpn/100 mL	< 1	0		
23/09/2024	Temperature	C	20.3000		30	
23/09/2024	Turbidity	NTU	0.1900		5	
23/09/2024	Total Coliforms	mpn/100 mL	< 1	0		
23/09/2024	Total Chlorine	mg/L	1.5300	5		
16/09/2024	pH		8.0600		6.5 - 8.5	,Field result entered as provided
16/09/2024	Free Chlorine	mg/L	1.7200	0.2 - 5		,Field result entered as provided
16/09/2024	E. coli	mpn/100 mL	< 1	0		,Field result entered as provided
16/09/2024	Temperature	C	19.6000		30	,Field result entered as provided
16/09/2024	Turbidity	NTU	0.1300		5	,Field result entered as provided
16/09/2024	Total Coliforms	mpn/100 mL	< 1	0		,Field result entered as provided
16/09/2024	Total Chlorine	mg/L	1.6500	5		,Field result entered as provided
9/09/2024	pH		8.1200		6.5 - 8.5	
9/09/2024	Free Chlorine	mg/L	1.4600	0.2 - 5		
9/09/2024	E. coli	mpn/100 mL	< 1	0		
9/09/2024	Temperature	C	19.3000		30	
9/09/2024	Turbidity	NTU	0.0000		5	
9/09/2024	Total Coliforms	mpn/100 mL	< 1	0		
9/09/2024	Total Chlorine	mg/L	1.5300	5		
2/09/2024	pH		8.1000		6.5 - 8.5	
2/09/2024	Free Chlorine	mg/L	1.5000	0.2 - 5		
2/09/2024	E. coli	mpn/100 mL	< 1	0		
2/09/2024	Temperature	C	19.4000		30	
2/09/2024	Turbidity	NTU	0.1900		5	
2/09/2024	Total Coliforms	mpn/100 mL	< 1	0		
2/09/2024	Total Chlorine	mg/L	1.5200	5		
26/08/2024	pH		8.1000		6.5 - 8.5	
26/08/2024	Free Chlorine	mg/L	1.6000	0.2 - 5		
26/08/2024	E. coli	mpn/100 mL	< 1	0		
26/08/2024	Temperature	C	18.6000		30	
26/08/2024	Turbidity	NTU	0.2900		5	
26/08/2024	Total Coliforms	mpn/100 mL	< 1	0		
26/08/2024	Total Chlorine	mg/L	1.6400	5		
20/08/2024	pH		8.1100		6.5 - 8.5	
20/08/2024	Free Chlorine	mg/L	1.5300	0.2 - 5		
20/08/2024	E. coli	mpn/100 mL	< 1	0		
20/08/2024	Temperature	C	17.6000		30	
20/08/2024	Turbidity	NTU	0.2400		5	
20/08/2024	Total Coliforms	mpn/100 mL	< 1	0		
20/08/2024	Total Chlorine	mg/L	1.5500	5		
12/08/2024	pH		8.0200		6.5 - 8.5	
12/08/2024	Free Chlorine	mg/L	1.7400	0.2 - 5		
12/08/2024	E. coli	mpn/100 mL	< 1	0		
12/08/2024	Temperature	C	17.5000		30	
12/08/2024	Turbidity	NTU	0.1200		5	
12/08/2024	Total Coliforms	mpn/100 mL	< 1	0		

12/08/2024	Total Chlorine	mg/L	1.7800	5	
5/08/2024	pH		8.0300		6.5 - 8.5
5/08/2024	Free Chlorine	mg/L	1.4800	0.2 - 5	
5/08/2024	E. coli	mpn/100 mL	< 1	0	
5/08/2024	Temperature	C	15.0000		30
5/08/2024	Turbidity	NTU	0.0100		5
5/08/2024	Total Coliforms	mpn/100 mL	< 1	0	
5/08/2024	Total Chlorine	mg/L	1.4800	5	
29/07/2024	pH		8.0600		6.5 - 8.5
29/07/2024	Free Chlorine	mg/L	1.6300	0.2 - 5	
29/07/2024	E. coli	mpn/100 mL	< 1	0	
29/07/2024	Temperature	C	14.0000		30
29/07/2024	Turbidity	NTU	0.0200		5
29/07/2024	Total Coliforms	mpn/100 mL	< 1	0	
29/07/2024	Total Chlorine	mg/L	1.6900	5	
23/07/2024	pH		8.0400		6.5 - 8.5
23/07/2024	Free Chlorine	mg/L	1.3500	0.2 - 5	
23/07/2024	E. coli	mpn/100 mL	< 1	0	
23/07/2024	Temperature	C	14.4000		30
23/07/2024	Turbidity	NTU	0.1000		5
23/07/2024	Total Coliforms	mpn/100 mL	< 1	0	
23/07/2024	Total Chlorine	mg/L	1.4400	5	
15/07/2024	pH		8.0600		6.5 - 8.5
15/07/2024	Free Chlorine	mg/L	0.4700	0.2 - 5	
15/07/2024	E. coli	mpn/100 mL	< 1	0	
15/07/2024	Temperature	C	12.9000		30
15/07/2024	Turbidity	NTU	0.3000		5
15/07/2024	Total Coliforms	mpn/100 mL	< 1	0	
15/07/2024	Total Chlorine	mg/L	0.4800	5	
9/07/2024	pH		8.0600		6.5 - 8.5
9/07/2024	Free Chlorine	mg/L	1.2300	0.2 - 5	
9/07/2024	E. coli	mpn/100 mL	< 1	0	
9/07/2024	Temperature	C	15.3000		30
9/07/2024	Turbidity	NTU	0.0200		5
9/07/2024	Total Coliforms	mpn/100 mL	< 1	0	
9/07/2024	Total Chlorine	mg/L	1.3500	5	
1/07/2024	pH		8.0400		6.5 - 8.5
1/07/2024	Free Chlorine	mg/L	1.4700	0.2 - 5	
1/07/2024	E. coli	mpn/100 mL	< 1	0	
1/07/2024	Temperature	C	14.7000		30
1/07/2024	Turbidity	NTU	0.0000		5
1/07/2024	Total Coliforms	mpn/100 mL	< 1	0	
1/07/2024	Total Chlorine	mg/L	1.5200	5	
24/06/2024	pH		8.1000		6.5 - 8.5
24/06/2024	Free Chlorine	mg/L	1.5100	0.2 - 5	
24/06/2024	E. coli	mpn/100 mL	< 1	0	
24/06/2024	Temperature	C	16.6000		30
24/06/2024	Turbidity	NTU	0.1200		5
24/06/2024	Total Coliforms	mpn/100 mL	< 1	0	
24/06/2024	Total Chlorine	mg/L	1.5500	5	
17/06/2024	pH		8.0400		6.5 - 8.5
17/06/2024	Free Chlorine	mg/L	1.5100	0.2 - 5	
17/06/2024	E. coli	mpn/100 mL	< 1	0	
17/06/2024	Temperature	C	14.7000		30
17/06/2024	Turbidity	NTU	0.0700		5
17/06/2024	Total Coliforms	mpn/100 mL	< 1	0	
17/06/2024	Total Chlorine	mg/L	1.5400	5	
11/06/2024	pH		8.1000		6.5 - 8.5
11/06/2024	Free Chlorine	mg/L	1.3200	0.2 - 5	
11/06/2024	E. coli	mpn/100 mL	< 1	0	
11/06/2024	Temperature	C	17.3000		30
11/06/2024	Turbidity	NTU	0.0500		5
11/06/2024	Total Coliforms	mpn/100 mL	< 1	0	
11/06/2024	Total Chlorine	mg/L	1.4000	5	
5/06/2024	pH		8.0100		6.5 - 8.5
5/06/2024	Free Chlorine	mg/L	1.4600	0.2 - 5	
5/06/2024	E. coli	mpn/100 mL	< 1	0	
5/06/2024	Temperature	C	17.1000		30
5/06/2024	Turbidity	NTU	0.0500		5
5/06/2024	Total Coliforms	mpn/100 mL	< 1	0	
5/06/2024	Total Chlorine	mg/L	1.5100	5	
28/05/2024	pH		8.1400		6.5 - 8.5
28/05/2024	Free Chlorine	mg/L	1.1300	0.2 - 5	
28/05/2024	E. coli	mpn/100 mL	< 1	0	

28/05/2024	Temperature	C	20.4000		30	
28/05/2024	Turbidity	NTU	0.3200		5	
28/05/2024	Total Coliforms	mpn/100 mL	< 1	0		
28/05/2024	Total Chlorine	mg/L	1.2700	5		
20/05/2024	pH		7.3200		6.5 - 8.5	
20/05/2024	Free Chlorine	mg/L	1.5300	0.2 - 5		
20/05/2024	E. coli	mpn/100 mL	< 1	0		
20/05/2024	Temperature	C	18.5000		30	
20/05/2024	Turbidity	NTU	0.1100		5	
20/05/2024	Total Coliforms	mpn/100 mL	< 1	0		
20/05/2024	Total Chlorine	mg/L	1.5300	5		
15/05/2024	pH		7.3000		6.5 - 8.5	,Field result entered as provided
15/05/2024	Free Chlorine	mg/L	1.4500	0.2 - 5		,Field result entered as provided
15/05/2024	E. coli	mpn/100 mL	< 1	0		,Field result entered as provided
15/05/2024	Temperature	C	22.4000		30	,Field result entered as provided
15/05/2024	Turbidity	NTU	0.0100		5	,Field result entered as provided
15/05/2024	Total Coliforms	mpn/100 mL	< 1	0		,Field result entered as provided
15/05/2024	Total Chlorine	mg/L	1.4300	5		,Field result entered as provided
8/05/2024	pH		7.2000		6.5 - 8.5	
8/05/2024	Free Chlorine	mg/L	1.1500	0.2 - 5		
8/05/2024	E. coli	mpn/100 mL	< 1	0		
8/05/2024	Temperature	C	21.8000		30	
8/05/2024	Turbidity	NTU	0.2700		5	
8/05/2024	Total Coliforms	mpn/100 mL	< 1	0		
8/05/2024	Total Chlorine	mg/L	1.1900	5		
29/04/2024	pH		7.7300		6.5 - 8.5	,Field result entered as provided
29/04/2024	Free Chlorine	mg/L	0.6800	0.2 - 5		,Field result entered as provided
29/04/2024	E. coli	mpn/100 mL	< 1	0		,Field result entered as provided
29/04/2024	Temperature	C	23.2000		30	,Field result entered as provided
29/04/2024	Turbidity	NTU	0.0800		5	,Field result entered as provided
29/04/2024	Total Coliforms	mpn/100 mL	< 1	0		,Field result entered as provided
29/04/2024	Total Chlorine	mg/L	0.6200	5		,Field result entered as provided
22/04/2024	pH		7.7600		6.5 - 8.5	
22/04/2024	Free Chlorine	mg/L	1.3300	0.2 - 5		
22/04/2024	E. coli	mpn/100 mL	< 1	0		
22/04/2024	Temperature	C	23.1000		30	
22/04/2024	Turbidity	NTU	0.0100		5	
22/04/2024	Total Coliforms	mpn/100 mL	< 1	0		
22/04/2024	Total Chlorine	mg/L	1.3400	5		